

**WORKMAN
NYDEGGER
& SEELEY**

ATTORNEYS AT LAW
A PROFESSIONAL CORPORATION

EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE (801) 533-9800
FACSIMILE (801) 328-1707

RICK D. NYDEGGER
DAVID O. SEELEY
BRENT P. LORIMER
THOMAS R. VUKSINICK
LARRY R. LAYCOCK
JONATHAN W. RICHARDS
DAVID R. WRIGHT
JOHN C. STRINGHAM
MICHAEL F. KRIEGER
BRADLEY K. DESANDRO
JOHN M. GUYNN
GREGORY M. TAYLOR
DANA L. TANGREN
KEVIN B. LAURENCE
ERIC L. MASCHOFF
JEFFREY L. RANCK

CHARLES J. VEVERKA
ROBYN L. PHILLIPS
DAVID B. DELLENBACH
TIMOTHY M. FARRELL
JOHN N. GREAVES
VANESSA B. PIERCE
LENA I. VINITSKAYA
KEVIN K. JOHANSON
L. DAVID GRIFFIN
R. BURNS ISRAELSEN
MICHAEL T. SANDERSON

H. ROSS WORKMAN
OF COUNSEL

PATENT
13914.420

PATENT
TRADEMARK
COPYRIGHT
TRADE SECRETS
UNFAIR COMPETITION
LICENSING
COMPLEX LITIGATION

INTERNET
HOME PAGE: <http://www.wnspat.com>
GENERAL E-MAIL: info@wnspat.com

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Icon Health & Fitness, Inc.

Serial No.: 08/593,796

Filed: January 30, 1996

For: Reorienting Treadmill

Examiner: Lynne A. Reichard

Patent No.: 5,674,453

Issue Date: October 7, 1997

**CERTIFICATE
JUL 27 1998
OF CORRECTION**

)
)
)
)
) Art Unit
) 3302
)
)
)
)
)
)
)

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Assistant Commissioner for Patents
Washington, D. C. 20231

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 254, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired

APPROVED

AUG 26 1998
FOR THE COMMISSIONER OF PAT. & T.M.

07/24/1998 ASEAFORT 00000078 5674453

01 FC:145

100.00 GP

corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate. Triplicate copies of this paper are enclosed.

Dated this 8th day of July, 1998.

Respectfully submitted,



JONATHAN W. RICHARDS
Attorney for Applicant
Registration No. 29,843

WORKMAN, NYDEGGER & SEELEY
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111
Telephone: (801) 533-9800
Facsimile: (801) 328-1707


JWR:pcs

Docket: 13914.420

G:\DATA\WPDOCS\PCS\ICON\COC-420.TRX

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Assistant Commissioner for Patents, Washington, D. C. 20231, on this 8th day of July, 1998.



Jonathan W. Richards
Attorney for Applicant
Registration No. 29,843

Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 104018 for \$100.00

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 5,674,453

DATED : October 7, 1997

INVENTOR(S) : Watterson, Scott R.; Dalebout, William T.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In column 9, line 39, change "rock" to --rack--;

In column 10, line 5, change "324" to --325--;

In column 11, line 19, change "cross member" to --support bar--;

In column 11, line 67, change "mean" to --means--;

In column 12, line 7, after "member" insert --392--;

In column 12, line 12, after "position" delete "shown";

In column 12, line 13, after "position" insert --shown--;

In column 12, line 20, change "spring" to --sponge--;

In column 13, line 66, after "left" insert --side--;

In column 15, line 67, after "e.g." insert --,--;

In column 17, line 57, change "556" to --551--;

In column 18, line 33, change "574" to --527--;

In column 20, line 5, change "clam" to --claim--;

In column 20, line 6, after "rotably attached" insert --to--;

MAILING ADDRESS OF SENDER:

Jonathan W. Richards

WORKMAN, NYDEGGER & SEELEY

1000 Eagle Gate Tower

60 East South Temple

Salt Lake City, Utah 84111

PATENT NO. 5,674,453